

B) Amendments to the Drawing sheets:

1) The original filed drawings sheets were hand annotated, incorrectly scanned for the IFW, and contained numerous minor errors. A more legible replacement set of corrected drawing sheets accompany this submission.

2) A marked-up copy showing the changes to the originally filed drawings or Ref. Chars. also accompany this submission. Each change to a Ref. Char. or element in the drawing is detailed in this marked up copy. A physical printout of the marked-up copy with the changes indicated in red color is available on request.

3) Changes made to the Ref. Chars. in the drawing sheets will not materially affect the examination of the application with respect to the subject matter claimed. The applicant reserved the right to file further corrections to the specification and drawings sheets as necessary. All such corrections do not materially change the subject matter claimed.

4) Details of the specific changes to the original drawing sheets follow:

FIG. 3 Ref. Char. 303 moved inside the GRID.

FIG. 5 Main Program 32 changed to Frontend 32.

FIG. 10 Ref. Char. 110 changed to 134.

Ref. Char. 120 moved inside the Grid.

Ref. Char. 100f changed to 100e.

Ref. Char. 100g changed to 100f.

FIG. 11 Ref. Char. 120 moved inside the Grid.

Ref. Chars. 100c, 100d, 100e added.

FIG. 12 Changed the placement of Ref. Chars. 120, 124, 132, 126, 128, 130, and 134.

Appl. No. 09/897,437
Amdt. dated Mar. 6, 2007
Reply to Office action of Oct. 6, 2006

FIG. 13 Changed the placement of Ref. Chars. 120, 122, 124, 128, and 132.

FIG. 19 Changed from FIG. 19.1 Arrowheads added to lead lines of Ref. Chars. 166, 168, 170.

FIG. 24 Arrowhead added to lead line of Ref. Char. 190

FIG. 25 Ref. Char. 100g changed to 100f.
Ref. Chars. 100b, 100c, 100d, and 100e added.
Ref. Char. 120 moved inside the Grid.

FIG. 26 Ref. Char. 100g changed to 100f.
Ref. Chars. 100b, 100c, 100d, and 100e added.
Ref. Char. 120 moved inside the Grid.

FIG. 27 Ref. Chars. 100a, 100b, 100c, 100d, and 100e changed to Ref. Chars. 101a, 101b, 101c, 101d, and 101e respectively.
Ref. Chars. 100b, 100c, 100d, and 100e added.
Ref. Char. 196 moved inside the Grid.

FIG. 28 Ref. Char. 120 moved inside the Grid.
Ref. Chars. 100b, 100c, 100d, and 100e added.
Arrowhead placed on lead line of Ref. Char. 202

FIG. 29 Ref. Char. 120 moved inside the Grid.
Arrowhead placed on lead line of Ref. Char. 202

FIG. 30 Ref. Char. 120 moved inside the Grid.
Ref. Char. 202 position changed.
Ref. Char. 208 changed to 209.
Ref. Char. 210 changed to 211.
Ref. Char. 204 changed to 203.
Ref. Char. 202 changed to 205.
Data in drawing changed from 56.82 to 56.83.

FIG. 31 Ref. Char. 120 moved inside the Grid.

FIG. 32 Ref. Char. 120 moved inside the Grid.

FIG. 33 Ref. Char. 212 moved inside the Grid.
Ref. Chars. 100b, 100c, 100d, and 100e added.

FIG. 34 Ref. Char. 212 moved inside the Grid.
Ref. Chars. 100b, 100c, 100d, and 100e added.

FIG. 35 Ref. Char. 220 moved inside the Grid.

FIG. 36 Ref. Char. 220 deleted.
Drawing element hatch near Ref. Char. 234 removed.
Common names in tab changed to Users A... Users G.

FIG. 37 Ref. Char. 246 moved inside the Grid.

FIG. 38 Ref. Char. 120 moved inside the Grid.
Ref. Char. 254 changed to Ref. Char. 255.
Ref. Chars. 100b, 100c, 100d, and 100e added.
Data in drawing changed from 56.90 to 56.88.

FIG. 39 Ref. Char. 118 added.

FIG. 40 Arrowhead added to lead line of Ref. Char. 134.
Ref. Char. 110 added.

FIG. 41 Second Ref. Char. 270 added.
Arrowheads added to lead lines for Ref. Chars. 270, 272, and 274.
Lead lines for Ref. Chars. 280, 282 corrected.

FIG. 42 Ref. Char. 124 moved to inside tab.

FIG. 44 Ref. Char. 302 deleted.

FIG. 45 Ref. Char. 324 changed to 326.
Ref. Char. 326 changed to 324.
Arrowheads added to lead lines of Ref. Char. 330, 328.

Appl. No. 09/897,437
Amdt. dated Mar. 6, 2007
Reply to Office action of Oct. 6, 2006

FIG. 46 Arrowheads added to lead lines of Ref. Char. 330, 328.

FIG. 47 Ref. Char. 364 moved to inside tab.

FIG. 48 Ref. Char. 380 moved inside the Grid.
Ref. Chars. 382b, 382c, and 382d added.

FIG. 49 Ref. Char. 380 moved inside the Grid.

FIG. 50 Ref. Char. 430 moved inside the Grid.
Ref. Char. 210 changed to 211.
Ref. Char. 208 changed to 209.
Word " XYZ Corporations" changed to "XYZ Corporation".

FIG. 51 Ref. Char. 450 moved inside the Grid.

FIG. 52 Ref. Char. 450 moved inside the Grid.
Ref. Char. 460 changed to 461.
Ref. Char. 462 changed to 467.
Ref. Char. 464 changed to 465 twice.
Ref. Chars. 468b, 468c, 468d and 468e added.

FIG. 54 Ref. Char. 500 moved to inside Grid.
Lead line position for Ref. Char. 520 changed.

FIG. 55 Circle with hatch added to row "56.83" at column "ARCA"

Appl. No. 09/897,437
Amdt. dated Mar. 6, 2007
Reply to Office action of Oct. 6, 2006

C) Election

The applicant elects to have claims 100-232 examined without traverse. In view of the examiner's restriction requirement, the applicant retains the right to present claims 1-75, claims 76-77, and claims 79-99 in a divisional application.

Respectfully submitted,

/PRANIL RAM/

PRANIL RAM
Tele: (+63) 917-848-8825
CN: 54254